

CCP Comal Concrete Products, Inc.

4222 FM 482, New Braunfels, TX 78132

830-608-1699 Fax: 830-608-1396

Metro: 830-606-4732

IMPORTANT NOTICE: WATER TESTING INTERCEPTORS

*** WHEN FILLING INTERCEPTOR FOR WATER TEST ***

DO NOT FILL UNIT TO MORE THAN TWO INCHES INTO THE 8" TRAFFIC LID,
NO MORE THAN ONE HALF INCH INTO A NON-TRAFFIC LID.

THE HYDRAULIC LIFT ON THE LID CAN RESULT IN LEAKAGE OF THE
GASKET BETWEEN THE LID AND THE TANK.

LIQUID DEPTHS GREATER THAN THIS CAN RESULT IN EXCESS PRESSURE
ON THE WALLS OF THE TANK AND CAUSE DAMAGE TO THE TANK AND
WILL VOID COMAL CONCRETE PRODUCTS, INC. EXPRESS LIMITED
WARRANTY PRINTED AT THE FRONT OF THIS CATALOG.

THIS CONDITION CAN RESULT ANY TIME THE PLUMBING OUTLET IS
PLUGGED DURING THE WATER TEST.

ALL TANKS ARE DESIGNED TO WITHSTAND NORMAL PRESSURE AT THE
STANDARD OPERATING LIQUID DEPTHS (WATER LEVEL)

INPROPER WATER TESTING MAY VOID THE TANK WARRANTY.

THIS WARNING APPLIES TO ALL TANKS.

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT COMAL CONCRETE
PRODUCTS, INC.

November 2007